

OPULENCE™

Series of Architectural Luminaires



OUTDOOR ARCHITECTURAL LUMINAIRES



OPULENCE SERIES OF LUMINAIRES

Opulence combines a visually stunning fixture with five different mounting styles. The result is a lighting solution that bolsters the richness of every environment in which the luminaire is installed. Regardless of configuration, each product in the **Opulence Series** features the same beautifully curved fixture with a clean housing and a near seamless mounting assembly.



SIDE ARM



PENDANT

POST TOP



WALL



SURFACE



OPULENCE

EXCEPTIONAL **STYLE**

The **Opulence series** consists of matching surface, pendant, wall mount, area and post-top luminaires that are purposefully designed to accentuate every space where it is installed with architectural beauty and high-performance illumination. Opulence is ideal for parking facilities, low-glare pedestrian walkways, and landscaping projects.

POST TOP

VISUAL COMFORT

- Large Aperture Lens
- Dense Recessed LED Array
- Optional Diffuse Lens
- Low Lumen Outputs Available

FLOWING FORM

- Smooth Transition Regardless of Mounting
- Clean Housing Design Without Visible Heat Fins
- Styling to Complement Surroundings
- Well-Hidden Hardware

UNMATCHED PERFORMANCE

- True IES Distributions
- Very High Efficacy LEDs
- Programmable Drivers
- IP66 Rated Luminaire

O

P

C

Z

S

A



PENDANT WITH CONTROL SENSOR



EASE OF CONTROLS

- Integral to Luminaires
- Standalone or Mesh Network
- Simple-to-Use Software and Apps
- Pre-Commissioned Solutions Available

5 STANDARD CCTS AT 80 CRI



8 STANDARD PAINT FINISHES

Custom Colors Available





POST TOP

In addition to its stylish, contemporary appearance, the Opulence **Post Top** delivers exceptional light distribution for uniform illumination. Ideal for campus and park settings, this high-performing luminaire enhances the pedestrian experience with elegant style.



MOUNTING **OPTIONS**



FLUSH MOUNT




**TWIN POST TOP
& WALL BRACKETS**



**SPUN ALUMINUM
BASE COVER**



**CONTEMPORARY POLE
& BASE COVER**




POLE MOUNT

With its dense LED arrangement and precision optics, the Opulence **Pole Mount** delivers high-performance illumination and extraordinary visual comfort. Like all Opulence configurations, this luminaire was designed to give you exceptional optical control for maximum uniformity.


MOUNTING OPTIONS

LSI's Opulence **Pole Mount** luminaires are available with upswept side-arm and decorative pendant mounting configurations. Contemporary and sleek styling helps Opulence blend into any environment.



WALL LIGHT

Opulence **Wall Mount** luminaires feature several stylish mounts for any application. Whether mounting to a recessed junction box or directly to a vertical surface, Opulence has you covered.



- Type A
- Type B
- Type C
- Type E
- Type F
- Type K
- Type P
- Type U



GOOSENECK WALL MOUNT BRACKET



EMERGENCY LIGHTS

LSI offers an optional battery backup system that provides 90 minutes of continuous power to ensure code compliance. For ease of maintenance, a test switch/indicator light is installed on the fixture's housing.

TEST SWITCH/INDICATOR LIGHT



CEILING LIGHT

PENDANT & SURFACE DIRECT MOUNTING

Opulence **Pendant and Surface Mount** luminaires are ideal for under canopy/soffit applications with lower ceiling heights. For higher ceilings, and when paired with a decorative aligner and shroud, this fixture's pendant creates a unique and stylish upscale aesthetic.




ACCESSORIES



SURFACE MOUNT
BRACKET



DECORATIVE
SHROUD



3/4" PENDANTS



DECORATIVE, ROUND & SQUARE
BOX COVER ALIGNERS



CONTROL YOUR LIGHTING


AirLink™



Outdoor
enabled by Synapse4E

The AirLink Outdoor product line is the perfect solution for commercial, industrial, and municipal applications such as auto dealerships, parking lots, garages, shopping complexes and warehouses where robust wireless communication is required.

AirLink Outdoor utilizes a 2.4 GHz Self-Healing Mesh Network. The flexibility and scalability of the system make it perfect for both new construction and retrofit projects. The user-friendly AirLink Outdoor web application is accessible through any device with an internet connection and allows for complete customization of the system and its features. Learn more about this simple-to-use software on our website.



AirLink™ Blue

All of our Opulence luminaires are compatible with our AirLink Blue wireless lighting control system. This simple, highly-configurable product uses Bluetooth mesh technology to manage designated zones of illumination—helping to enhance safety, reduce energy costs and comply with applicable regulations. Opulence luminaires configured with AirLink Blue are available pre-commissioned from the factory—making them easy to specify and install at the job site. Importantly, the AirLink Blue system can also be programmed and managed using an intuitive app for mobile devices or an office computer with an internet connection. Learn more about this simple to use software on our website.



AirLink Blue
iOS Only App

MAKE ORDINARY
OUTDOOR SPACES
EXTRAORDINARY

O

P

C

L

E

N

C

M





OPULENCE™

Series of Architectural Luminaires

Visit us online: www.lsicorp.com

Call us: (800) 436-7800



MANUFACTURED
IN THE USA



LSI Industries Inc. 10000 Alliance Road, Cincinnati, OH 45242 • www.lsicorp.com
(800) 436-7800 • ©2022 LSI Industries Inc. All Rights Reserved.