



# OPS - Opulence – Area Light

## OPS PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-03L-3W-27K8	2,898	20	145	B1-U0-G1
OPS-03L-3W-27K8-EHS	2,777	22	126	B1-U1-G1
OPS-03L-3W-30K8	2,991	20	150	B1-U0-G1
OPS-03L-3W-30K8-EHS	2,903	22	132	B1-U1-G1
OPS-03L-3W-35K8	3,008	20	150	B1-U0-G1
OPS-03L-3W-35K8-EHS	3,029	22	138	B1-U1-G1
OPS-03L-3W-40K8	2,971	20	149	B1-U0-G1
OPS-03L-3W-40K8-EHS	3,155	22	143	B1-U1-G1
OPS-03L-3W-50K8	3,093	20	155	B1-U0-G1
OPS-03L-3W-50K8-EHS	3,155	22	143	B1-U1-G1
OPS-03L-3W-AMB	2,080	22	95	B1-U0-G1
OPS-03L-3W-AMB-EHS	1,994	22	91	B1-U1-G1
OPS-03L-4F-27K8	2,943	20	147	B1-U0-G1
OPS-03L-4F-27K8-EHS	2,861	22	130	B1-U1-G1
OPS-03L-4F-30K8	3,039	20	152	B1-U0-G1
OPS-03L-4F-30K8-EHS	2,991	22	136	B1-U1-G1
OPS-03L-4F-35K8	3,056	20	153	B1-U0-G1
OPS-03L-4F-35K8-EHS	3,121	22	142	B1-U1-G1
OPS-03L-4F-40K8	3,018	20	151	B1-U0-G1
OPS-03L-4F-40K8-EHS	3,251	22	148	B1-U1-G1
OPS-03L-4F-50K8	3,142	20	157	B1-U0-G1
OPS-03L-4F-50K8-EHS	3,251	22	148	B1-U1-G1
OPS-03L-4F-AMB	2,113	22	96	B1-U0-G1
OPS-03L-4F-AMB-EHS	2,055	22	93	B1-U1-G1
OPS-03L-5C-27K8	3,145	20	157	B2-U0-G0
OPS-03L-5C-27K8-EHS	2,873	22	131	B1-U1-G0
OPS-03L-5C-30K8	3,247	20	162	B2-U0-G0
OPS-03L-5C-30K8-EHS	3,004	22	137	B1-U1-G0
OPS-03L-5C-35K8	3,265	20	163	B2-U0-G0
OPS-03L-5C-35K8-EHS	3,135	22	142	B1-U1-G0
OPS-03L-5C-40K8	3,225	20	161	B2-U0-G0
OPS-03L-5C-40K8-EHS	3,265	22	148	B1-U1-G0
OPS-03L-5C-50K8	3,358	20	168	B2-U0-G0
OPS-03L-5C-50K8-EHS	3,265	22	148	B1-U1-G0
OPS-03L-5C-AMB	2,257	22	103	B1-U0-G0
OPS-03L-5C-AMB-EHS	2,063	22	94	B1-U1-G0
OPS-03L-5D-27K8	2,813	20	141	B1-U0-G1
OPS-03L-5D-27K8-EHS	2,496	22	113	B1-U1-G1
OPS-03L-5D-30K8	2,904	20	145	B1-U0-G1
OPS-03L-5D-30K8-EHS	2,610	22	119	B1-U1-G1
OPS-03L-5D-35K8	2,920	20	146	B1-U0-G1
OPS-03L-5D-35K8-EHS	2,723	22	124	B1-U1-G1
OPS-03L-5D-40K8	2,884	20	144	B1-U0-G1
OPS-03L-5D-40K8-EHS	2,836	22	129	B1-U1-G1
OPS-03L-5D-50K8	3,003	20	150	B1-U0-G1
OPS-03L-5D-50K8-EHS	2,836	22	129	B1-U1-G1
OPS-03L-5D-AMB	2,019	22	92	B1-U0-G1
OPS-03L-5D-AMB-EHS	1,792	22	81	B1-U1-G1
OPS-03L-5Q-27K8	3,023	20	151	B1-U0-G1
OPS-03L-5Q-27K8-EHS	2,616	22	119	B1-U1-G1
OPS-03L-5Q-30K8	3,121	20	156	B2-U0-G1
OPS-03L-5Q-30K8-EHS	2,735	22	124	B1-U1-G1
OPS-03L-5Q-35K8	3,139	20	157	B2-U0-G1
OPS-03L-5Q-35K8-EHS	2,854	22	130	B1-U1-G1



# OPS - Opulence – Area Light

## OPS PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-03L-5Q-40K8	3,100	20	155	B2-U0-G1
OPS-03L-5Q-40K8-EHS	2,973	22	135	B1-U1-G1
OPS-03L-5Q-50K8	3,228	20	161	B2-U0-G1
OPS-03L-5Q-50K8-EHS	2,973	22	135	B1-U1-G1
OPS-03L-5Q-AMB	2,170	22	99	B1-U0-G0
OPS-03L-5Q-AMB-EHS	1,879	22	85	B1-U1-G1
OPS-03L-5R-27K8	2,958	20	148	B1-U0-G1
OPS-03L-5R-27K8-EHS	2,636	22	120	B1-U1-G1
OPS-03L-5R-30K8	3,054	20	153	B2-U0-G2
OPS-03L-5R-30K8-EHS	2,756	22	125	B1-U1-G1
OPS-03L-5R-35K8	3,071	20	154	B2-U0-G2
OPS-03L-5R-35K8-EHS	2,875	22	131	B1-U1-G1
OPS-03L-5R-40K8	3,033	20	152	B2-U0-G2
OPS-03L-5R-40K8-EHS	2,995	22	136	B1-U1-G1
OPS-03L-5R-50K8	3,159	20	158	B2-U0-G2
OPS-03L-5R-50K8-EHS	2,995	22	136	B1-U1-G1
OPS-03L-5R-AMB	2,123	22	96	B1-U0-G1
OPS-03L-5R-AMB-EHS	1,892	22	86	B1-U1-G1
OPS-03L-AD-27K8	2,831	20	142	B1-U0-G1
OPS-03L-AD-27K8-EHS	2,624	22	119	B1-U1-G1
OPS-03L-AD-30K8	2,923	20	146	B1-U0-G1
OPS-03L-AD-30K8-EHS	2,743	22	125	B1-U1-G1
OPS-03L-AD-35K8	2,939	20	147	B1-U0-G1
OPS-03L-AD-35K8-EHS	2,862	22	130	B1-U1-G1
OPS-03L-AD-40K8	2,903	20	145	B1-U0-G1
OPS-03L-AD-40K8-EHS	2,981	22	135	B1-U1-G1
OPS-03L-AD-50K8	3,023	20	151	B1-U0-G1
OPS-03L-AD-50K8-EHS	2,981	22	135	B1-U1-G1
OPS-03L-AD-AMB	2,032	22	92	B1-U0-G1
OPS-03L-AD-AMB-EHS	1,884	22	86	B1-U1-G1
OPS-05L-3W-27K8	4,790	34	141	B1-U0-G1
OPS-05L-3W-27K8-EHS	3,843	30	128	B1-U1-G1
OPS-05L-3W-30K8	4,945	34	145	B1-U0-G1
OPS-05L-3W-30K8-EHS	4,018	30	134	B1-U1-G1
OPS-05L-3W-35K8	4,973	34	146	B1-U0-G1
OPS-05L-3W-35K8-EHS	4,192	30	140	B1-U1-G1
OPS-05L-3W-40K8	4,911	34	144	B1-U0-G1
OPS-05L-3W-40K8-EHS	4,367	30	146	B1-U1-G1
OPS-05L-3W-50K8	5,113	34	150	B1-U0-G1
OPS-05L-3W-50K8-EHS	4,367	30	146	B1-U1-G1
OPS-05L-3W-AMB	3,362	36	93	B1-U0-G1
OPS-05L-3W-AMB-EHS	2,699	36	75	B1-U1-G1
OPS-05L-4F-27K8	4,866	34	143	B1-U0-G1
OPS-05L-4F-27K8-EHS	3,960	30	132	B1-U1-G1
OPS-05L-4F-30K8	5,023	34	148	B1-U0-G1
OPS-05L-4F-30K8-EHS	4,139	30	138	B1-U1-G1
OPS-05L-4F-35K8	5,051	34	149	B1-U0-G1
OPS-05L-4F-35K8-EHS	4,319	30	144	B1-U1-G1
OPS-05L-4F-40K8	4,989	34	147	B1-U0-G1
OPS-05L-4F-40K8-EHS	4,499	30	150	B1-U1-G1
OPS-05L-4F-50K8	5,195	34	153	B1-U0-G1
OPS-05L-4F-50K8-EHS	4,499	30	150	B1-U1-G1
OPS-05L-4F-AMB	3,416	36	95	B1-U0-G1



# OPS - Opulence – Area Light

## OPS PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-05L-4F-AMB-EHS	2,782	36	77	B1-U1-G1
OPS-05L-5C-27K8	5,199	34	153	B2-U0-G0
OPS-05L-5C-27K8-EHS	3,977	30	133	B2-U1-G0
OPS-05L-5C-30K8	5,368	34	158	B2-U0-G0
OPS-05L-5C-30K8-EHS	4,158	30	139	B2-U1-G0
OPS-05L-5C-35K8	5,398	34	159	B2-U0-G0
OPS-05L-5C-35K8-EHS	4,338	30	145	B2-U1-G0
OPS-05L-5C-40K8	5,331	34	157	B2-U0-G0
OPS-05L-5C-40K8-EHS	4,519	30	151	B2-U1-G0
OPS-05L-5C-50K8	5,551	34	163	B2-U0-G0
OPS-05L-5C-50K8-EHS	4,519	30	151	B2-U1-G0
OPS-05L-5C-AMB	3,650	36	101	B2-U0-G0
OPS-05L-5C-AMB-EHS	2,793	36	78	B1-U1-G0
OPS-05L-5D-27K8	4,650	34	137	B2-U0-G1
OPS-05L-5D-27K8-EHS	3,456	30	115	B1-U1-G1
OPS-05L-5D-30K8	4,801	34	141	B2-U0-G1
OPS-05L-5D-30K8-EHS	3,613	30	120	B1-U1-G1
OPS-05L-5D-35K8	4,828	34	142	B2-U0-G1
OPS-05L-5D-35K8-EHS	3,770	30	126	B1-U1-G1
OPS-05L-5D-40K8	4,768	34	140	B2-U0-G1
OPS-05L-5D-40K8-EHS	3,927	30	131	B1-U1-G1
OPS-05L-5D-50K8	4,965	34	146	B2-U0-G1
OPS-05L-5D-50K8-EHS	3,927	30	131	B1-U1-G1
OPS-05L-5D-AMB	3,265	36	91	B1-U0-G1
OPS-05L-5D-AMB-EHS	2,427	36	67	B1-U1-G1
OPS-05L-5Q-27K8	5,126	34	151	B2-U0-G1
OPS-05L-5Q-27K8-EHS	3,621	30	121	B1-U1-G1
OPS-05L-5Q-30K8	5,161	34	152	B2-U0-G1
OPS-05L-5Q-30K8-EHS	3,786	30	126	B1-U1-G1
OPS-05L-5Q-35K8	5,062	34	149	B2-U0-G1
OPS-05L-5Q-35K8-EHS	3,950	30	132	B1-U1-G1
OPS-05L-5Q-40K8	5,126	34	151	B2-U0-G1
OPS-05L-5Q-40K8-EHS	4,115	30	137	B2-U1-G1
OPS-05L-5Q-50K8	5,337	34	157	B2-U0-G1
OPS-05L-5Q-50K8-EHS	4,115	30	137	B2-U1-G1
OPS-05L-5Q-AMB	3,599	36	100	B2-U0-G1
OPS-05L-5Q-AMB-EHS	2,543	36	71	B1-U1-G1
OPS-05L-5R-27K8	4,890	34	144	B2-U0-G2
OPS-05L-5R-27K8-EHS	3,650	30	122	B1-U1-G1
OPS-05L-5R-30K8	5,049	34	148	B2-U0-G2
OPS-05L-5R-30K8-EHS	3,815	30	127	B1-U1-G1
OPS-05L-5R-35K8	5,077	34	149	B2-U0-G2
OPS-05L-5R-35K8-EHS	3,981	30	133	B1-U1-G1
OPS-05L-5R-40K8	5,014	34	147	B2-U0-G2
OPS-05L-5R-40K8-EHS	4,147	30	138	B1-U1-G1
OPS-05L-5R-50K8	5,220	34	154	B2-U0-G2
OPS-05L-5R-50K8-EHS	4,147	30	138	B1-U1-G1
OPS-05L-5R-AMB	3,434	36	95	B2-U0-G2
OPS-05L-5R-AMB-EHS	2,562	36	71	B1-U1-G1
OPS-05L-AD-27K8	4,681	34	138	B1-U0-G1
OPS-05L-AD-27K8-EHS	3,631	30	121	B1-U1-G1
OPS-05L-AD-30K8	4,833	34	142	B1-U0-G1
OPS-05L-AD-30K8-EHS	3,796	30	127	B1-U1-G1
OPS-05L-AD-35K8	4,860	34	143	B1-U0-G1



# OPS - Opulence – Area Light

## OPS PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-05L-AD-35K8-EHS	3,961	30	132	B1-U1-G1
OPS-05L-AD-40K8	4,800	34	141	B1-U0-G1
OPS-05L-AD-40K8-EHS	4,126	30	138	B1-U1-G1
OPS-05L-AD-50K8	4,998	34	147	B1-U0-G1
OPS-05L-AD-50K8-EHS	4,126	30	138	B1-U1-G1
OPS-05L-AD-AMB	3,286	36	91	B1-U0-G1
OPS-05L-AD-AMB-EHS	2,551	36	71	B1-U1-G1
OPS-06L-3W-27K8	5,804	41	142	B2-U0-G1
OPS-06L-3W-27K8-EHS	4,697	38	124	B1-U1-G1
OPS-06L-3W-30K8	5,992	41	146	B2-U0-G2
OPS-06L-3W-30K8-EHS	4,910	38	129	B1-U1-G1
OPS-06L-3W-35K8	6,025	41	147	B2-U0-G2
OPS-06L-3W-35K8-EHS	5,124	38	135	B1-U1-G1
OPS-06L-3W-40K8	5,951	41	145	B2-U0-G2
OPS-06L-3W-40K8-EHS	5,337	38	140	B1-U1-G1
OPS-06L-3W-50K8	6,196	41	151	B2-U0-G2
OPS-06L-3W-50K8-EHS	5,337	38	140	B1-U1-G1
OPS-06L-3W-AMB	3,950	43	92	B1-U0-G1
OPS-06L-3W-AMB-EHS	3,198	43	74	B1-U1-G1
OPS-06L-4F-27K8	5,896	41	144	B2-U0-G1
OPS-06L-4F-27K8-EHS	4,840	38	127	B1-U1-G1
OPS-06L-4F-30K8	6,087	41	148	B2-U0-G1
OPS-06L-4F-30K8-EHS	5,059	38	133	B1-U1-G1
OPS-06L-4F-35K8	6,122	41	149	B2-U0-G1
OPS-06L-4F-35K8-EHS	5,279	38	139	B1-U1-G1
OPS-06L-4F-40K8	6,046	41	147	B2-U0-G1
OPS-06L-4F-40K8-EHS	5,499	38	145	B1-U1-G1
OPS-06L-4F-50K8	6,295	41	154	B2-U0-G1
OPS-06L-4F-50K8-EHS	5,499	38	145	B1-U1-G1
OPS-06L-4F-AMB	4,013	43	93	B1-U0-G1
OPS-06L-4F-AMB-EHS	3,295	43	77	B1-U1-G1
OPS-06L-5C-27K8	6,300	41	154	B2-U0-G0
OPS-06L-5C-27K8-EHS	4,860	38	128	B2-U1-G0
OPS-06L-5C-30K8	6,504	41	159	B2-U0-G0
OPS-06L-5C-30K8-EHS	5,081	38	134	B2-U1-G1
OPS-06L-5C-35K8	6,541	41	160	B2-U0-G0
OPS-06L-5C-35K8-EHS	5,302	38	140	B2-U1-G1
OPS-06L-5C-40K8	6,460	41	158	B2-U0-G0
OPS-06L-5C-40K8-EHS	5,522	38	145	B2-U1-G1
OPS-06L-5C-50K8	6,726	41	164	B2-U0-G0
OPS-06L-5C-50K8-EHS	5,522	38	145	B2-U1-G1
OPS-06L-5C-AMB	4,288	43	100	B2-U0-G0
OPS-06L-5C-AMB-EHS	3,309	43	77	B1-U1-G0
OPS-06L-5D-27K8	5,635	41	137	B2-U0-G1
OPS-06L-5D-27K8-EHS	4,224	38	111	B2-U1-G1
OPS-06L-5D-30K8	5,818	41	142	B2-U0-G1
OPS-06L-5D-30K8-EHS	4,415	38	116	B2-U1-G1
OPS-06L-5D-35K8	5,850	41	143	B2-U0-G1
OPS-06L-5D-35K8-EHS	4,607	38	121	B2-U1-G1
OPS-06L-5D-40K8	5,778	41	141	B2-U0-G1
OPS-06L-5D-40K8-EHS	4,799	38	126	B2-U1-G1
OPS-06L-5D-50K8	6,016	41	147	B2-U0-G1
OPS-06L-5D-50K8-EHS	4,799	38	126	B2-U1-G1



# OPS - Opulence – Area Light

## OPS PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-06L-5D-AMB	3,835	43	89	B2-U0-G1
OPS-06L-5D-AMB-EHS	2,875	43	67	B1-U1-G1
OPS-06L-5Q-27K8	6,057	41	148	B2-U0-G1
OPS-06L-5Q-27K8-EHS	4,426	38	116	B2-U1-G1
OPS-06L-5Q-30K8	6,254	41	153	B3-U0-G1
OPS-06L-5Q-30K8-EHS	4,627	38	122	B2-U1-G1
OPS-06L-5Q-35K8	6,289	41	153	B3-U0-G1
OPS-06L-5Q-35K8-EHS	4,828	38	127	B2-U1-G1
OPS-06L-5Q-40K8	6,211	41	151	B3-U0-G1
OPS-06L-5Q-40K8-EHS	5,029	38	132	B2-U1-G1
OPS-06L-5Q-50K8	6,467	41	158	B3-U0-G1
OPS-06L-5Q-50K8-EHS	5,029	38	132	B2-U1-G1
OPS-06L-5Q-AMB	4,122	43	96	B2-U0-G1
OPS-06L-5Q-AMB-EHS	3,013	43	70	B1-U1-G1
OPS-06L-5R-27K8	5,926	41	145	B2-U0-G2
OPS-06L-5R-27K8-EHS	4,461	38	117	B2-U1-G1
OPS-06L-5R-30K8	6,118	41	149	B3-U0-G3
OPS-06L-5R-30K8-EHS	4,663	38	123	B2-U1-G1
OPS-06L-5R-35K8	6,152	41	150	B3-U0-G3
OPS-06L-5R-35K8-EHS	4,866	38	128	B2-U1-G1
OPS-06L-5R-40K8	6,076	41	148	B3-U0-G3
OPS-06L-5R-40K8-EHS	5,069	38	133	B2-U1-G1
OPS-06L-5R-50K8	6,327	41	154	B3-U0-G3
OPS-06L-5R-50K8-EHS	5,069	38	133	B2-U1-G1
OPS-06L-5R-AMB	4,033	43	94	B2-U0-G2
OPS-06L-5R-AMB-EHS	3,036	43	71	B1-U1-G1
OPS-06L-AD-27K8	5,673	41	138	B2-U0-G1
OPS-06L-AD-27K8-EHS	4,438	38	117	B1-U1-G1
OPS-06L-AD-30K8	5,857	41	143	B2-U0-G1
OPS-06L-AD-30K8-EHS	4,639	38	122	B1-U1-G1
OPS-06L-AD-35K8	5,890	41	144	B2-U0-G1
OPS-06L-AD-35K8-EHS	4,841	38	127	B1-U1-G1
OPS-06L-AD-40K8	5,817	41	142	B2-U0-G1
OPS-06L-AD-40K8-EHS	5,042	38	133	B2-U1-G1
OPS-06L-AD-50K8	6,057	41	148	B2-U0-G1
OPS-06L-AD-50K8-EHS	5,042	38	133	B2-U1-G1
OPS-06L-AD-AMB	3,861	43	90	B1-U0-G1
OPS-06L-AD-AMB-EHS	3,021	43	70	B1-U1-G1
OPS-08L-3W-27K8	7,606	55	138	B2-U0-G2
OPS-08L-3W-27K8-EHS	6,300	52	121	B1-U1-G1
OPS-08L-3W-30K8	7,853	55	143	B2-U0-G2
OPS-08L-3W-30K8-EHS	6,586	52	127	B2-U1-G1
OPS-08L-3W-35K8	7,897	55	144	B2-U0-G2
OPS-08L-3W-35K8-EHS	6,873	52	132	B2-U1-G1
OPS-08L-3W-40K8	7,799	55	142	B2-U0-G2
OPS-08L-3W-40K8-EHS	7,159	52	138	B2-U1-G1
OPS-08L-3W-50K8	8,121	55	148	B2-U0-G2
OPS-08L-3W-50K8-EHS	7,159	52	138	B2-U1-G1
OPS-08L-3W-AMB	5,223	59	89	B1-U0-G1
OPS-08L-3W-AMB-EHS	4,327	59	73	B1-U1-G1
OPS-08L-4F-27K8	7,727	55	140	B2-U0-G1
OPS-08L-4F-27K8-EHS	6,491	52	125	B2-U1-G1
OPS-08L-4F-30K8	7,978	55	145	B2-U0-G1



# OPS - Opulence – Area Light

## OPS PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-08L-4F-30K8-EHS	6,785	52	130	B2-U1-G1
OPS-08L-4F-35K8	8,022	55	146	B2-U0-G1
OPS-08L-4F-35K8-EHS	7,080	52	136	B2-U1-G1
OPS-08L-4F-40K8	7,923	55	144	B2-U0-G1
OPS-08L-4F-40K8-EHS	7,374	52	142	B2-U1-G1
OPS-08L-4F-50K8	8,250	55	150	B2-U0-G1
OPS-08L-4F-50K8-EHS	7,374	52	142	B2-U1-G1
OPS-08L-4F-AMB	5,306	59	90	B1-U0-G1
OPS-08L-4F-AMB-EHS	4,456	59	76	B1-U1-G1
OPS-08L-5C-27K8	8,256	55	150	B3-U0-G1
OPS-08L-5C-27K8-EHS	6,519	52	125	B2-U1-G1
OPS-08L-5C-30K8	8,524	55	155	B3-U0-G1
OPS-08L-5C-30K8-EHS	6,815	52	131	B2-U1-G1
OPS-08L-5C-35K8	8,571	55	156	B3-U0-G1
OPS-08L-5C-35K8-EHS	7,111	52	137	B2-U1-G1
OPS-08L-5C-40K8	8,465	55	154	B3-U0-G1
OPS-08L-5C-40K8-EHS	7,407	52	142	B3-U1-G1
OPS-08L-5C-50K8	8,814	55	160	B3-U0-G1
OPS-08L-5C-50K8-EHS	7,407	52	142	B3-U1-G1
OPS-08L-5C-AMB	5,669	59	96	B2-U0-G0
OPS-08L-5C-AMB-EHS	4,477	59	76	B2-U1-G0
OPS-08L-5D-27K8	7,384	55	134	B2-U0-G1
OPS-08L-5D-27K8-EHS	5,667	52	109	B2-U1-G1
OPS-08L-5D-30K8	7,624	55	139	B2-U0-G1
OPS-08L-5D-30K8-EHS	5,925	52	114	B2-U1-G1
OPS-08L-5D-35K8	7,666	55	139	B2-U0-G1
OPS-08L-5D-35K8-EHS	6,182	52	119	B2-U1-G1
OPS-08L-5D-40K8	7,571	55	138	B2-U0-G1
OPS-08L-5D-40K8-EHS	6,439	52	124	B2-U1-G1
OPS-08L-5D-50K8	7,883	55	143	B2-U0-G1
OPS-08L-5D-50K8-EHS	6,439	52	124	B2-U1-G1
OPS-08L-5D-AMB	5,070	59	86	B2-U0-G1
OPS-08L-5D-AMB-EHS	3,893	59	66	B1-U1-G1
OPS-08L-5Q-27K8	7,938	55	144	B3-U0-G1
OPS-08L-5Q-27K8-EHS	5,936	52	114	B2-U1-G1
OPS-08L-5Q-30K8	8,195	55	149	B3-U0-G1
OPS-08L-5Q-30K8-EHS	6,205	52	119	B2-U1-G1
OPS-08L-5Q-35K8	8,241	55	150	B3-U0-G1
OPS-08L-5Q-35K8-EHS	6,475	52	125	B2-U1-G1
OPS-08L-5Q-40K8	8,139	55	148	B3-U0-G1
OPS-08L-5Q-40K8-EHS	6,744	52	130	B2-U1-G1
OPS-08L-5Q-50K8	8,474	55	154	B3-U0-G1
OPS-08L-5Q-50K8-EHS	6,744	52	130	B2-U1-G1
OPS-08L-5Q-AMB	5,450	59	92	B2-U0-G1
OPS-08L-5Q-AMB-EHS	4,077	59	69	B1-U1-G1
OPS-08L-5R-27K8	7,765	55	141	B3-U0-G3
OPS-08L-5R-27K8-EHS	5,983	52	115	B2-U1-G1
OPS-08L-5R-30K8	8,017	55	146	B3-U0-G3
OPS-08L-5R-30K8-EHS	6,255	52	120	B2-U1-G1
OPS-08L-5R-35K8	8,061	55	147	B3-U0-G3
OPS-08L-5R-35K8-EHS	6,527	52	126	B2-U1-G2
OPS-08L-5R-40K8	7,962	55	145	B3-U0-G3
OPS-08L-5R-40K8-EHS	6,798	52	131	B2-U1-G2
OPS-08L-5R-50K8	8,290	55	151	B3-U0-G3



# OPS - Opulence – Area Light

## OPS PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-08L-5R-50K8-EHS	6,798	52	131	B2-U1-G2
OPS-08L-5R-AMB	5,332	59	90	B2-U0-G2
OPS-08L-5R-AMB-EHS	4,109	59	70	B1-U1-G1
OPS-08L-AD-27K8	7,434	55	135	B2-U0-G2
OPS-08L-AD-27K8-EHS	5,952	52	114	B2-U1-G1
OPS-08L-AD-30K8	7,675	55	140	B2-U0-G2
OPS-08L-AD-30K8-EHS	6,222	52	120	B2-U1-G1
OPS-08L-AD-35K8	7,717	55	140	B2-U0-G2
OPS-08L-AD-35K8-EHS	6,492	52	125	B2-U1-G1
OPS-08L-AD-40K8	7,622	55	139	B2-U0-G2
OPS-08L-AD-40K8-EHS	6,762	52	130	B2-U1-G1
OPS-08L-AD-50K8	7,936	55	144	B2-U0-G2
OPS-08L-AD-50K8-EHS	6,762	52	130	B2-U1-G1
OPS-08L-AD-AMB	5,104	59	87	B2-U0-G1
OPS-08L-AD-AMB-EHS	4,088	59	69	B1-U1-G1
OPS-10L-3W-27K8	9,552	70	136	B2-U0-G2
OPS-10L-3W-27K8-EHS	7,687	66	116	B2-U1-G1
OPS-10L-3W-30K8	9,862	70	141	B2-U0-G2
OPS-10L-3W-30K8-EHS	8,036	66	122	B2-U1-G1
OPS-10L-3W-35K8	9,917	70	142	B2-U0-G2
OPS-10L-3W-35K8-EHS	8,386	66	127	B2-U1-G1
OPS-10L-3W-40K8	9,794	70	140	B2-U0-G2
OPS-10L-3W-40K8-EHS	8,735	66	132	B2-U1-G1
OPS-10L-3W-50K8	10,198	70	146	B2-U0-G2
OPS-10L-3W-50K8-EHS	8,735	66	132	B2-U1-G1
OPS-10L-3W-AMB	6,341	74	86	B2-U0-G2
OPS-10L-3W-AMB-EHS	5,104	74	69	B1-U1-G1
OPS-10L-4F-27K8	9,704	70	139	B2-U0-G2
OPS-10L-4F-27K8-EHS	7,920	66	120	B2-U1-G1
OPS-10L-4F-30K8	10,019	70	143	B2-U0-G2
OPS-10L-4F-30K8-EHS	8,279	66	125	B2-U1-G1
OPS-10L-4F-35K8	10,075	70	144	B2-U0-G2
OPS-10L-4F-35K8-EHS	8,639	66	131	B2-U1-G2
OPS-10L-4F-40K8	9,950	70	142	B2-U0-G2
OPS-10L-4F-40K8-EHS	8,998	66	136	B2-U1-G2
OPS-10L-4F-50K8	10,360	70	148	B2-U0-G2
OPS-10L-4F-50K8-EHS	8,998	66	136	B2-U1-G2
OPS-10L-4F-AMB	6,442	74	87	B2-U0-G1
OPS-10L-4F-AMB-EHS	5,258	74	71	B1-U1-G1
OPS-10L-5C-27K8	10,368	70	148	B3-U0-G1
OPS-10L-5C-27K8-EHS	7,954	66	121	B3-U1-G1
OPS-10L-5C-30K8	10,704	70	153	B3-U0-G1
OPS-10L-5C-30K8-EHS	8,316	66	126	B3-U1-G1
OPS-10L-5C-35K8	10,764	70	154	B3-U0-G1
OPS-10L-5C-35K8-EHS	8,677	66	131	B3-U1-G1
OPS-10L-5C-40K8	10,631	70	152	B3-U0-G1
OPS-10L-5C-40K8-EHS	9,038	66	137	B3-U1-G1
OPS-10L-5C-50K8	11,069	70	158	B3-U0-G1
OPS-10L-5C-50K8-EHS	9,038	66	137	B3-U1-G1
OPS-10L-5C-AMB	6,883	74	93	B2-U0-G0
OPS-10L-5C-AMB-EHS	5,281	74	71	B2-U1-G1
OPS-10L-5D-27K8	9,273	70	132	B3-U0-G1
OPS-10L-5D-27K8-EHS	6,915	66	105	B2-U1-G1



# OPS - Opulence – Area Light

## OPS PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-10L-5D-30K8	9,574	70	137	B3-U0-G1
OPS-10L-5D-30K8-EHS	7,229	66	110	B2-U1-G1
OPS-10L-5D-35K8	9,628	70	138	B3-U0-G1
OPS-10L-5D-35K8-EHS	7,543	66	114	B2-U1-G1
OPS-10L-5D-40K8	9,508	70	136	B3-U0-G1
OPS-10L-5D-40K8-EHS	7,857	66	119	B2-U1-G1
OPS-10L-5D-50K8	9,900	70	141	B3-U0-G1
OPS-10L-5D-50K8-EHS	7,857	66	119	B2-U1-G1
OPS-10L-5D-AMB	6,156	74	83	B2-U0-G1
OPS-10L-5D-AMB-EHS	4,593	74	62	B2-U1-G1
OPS-10L-5Q-27K8	9,969	70	142	B3-U0-G1
OPS-10L-5Q-27K8-EHS	7,242	66	110	B2-U1-G2
OPS-10L-5Q-30K8	10,292	70	147	B3-U0-G1
OPS-10L-5Q-30K8-EHS	7,571	66	115	B2-U1-G2
OPS-10L-5Q-35K8	10,350	70	148	B3-U0-G1
OPS-10L-5Q-35K8-EHS	7,900	66	120	B2-U1-G2
OPS-10L-5Q-40K8	10,222	70	146	B3-U0-G1
OPS-10L-5Q-40K8-EHS	8,229	66	125	B2-U1-G2
OPS-10L-5Q-50K8	10,643	70	152	B3-U0-G1
OPS-10L-5Q-50K8-EHS	8,229	66	125	B2-U1-G2
OPS-10L-5Q-AMB	6,618	74	89	B3-U0-G1
OPS-10L-5Q-AMB-EHS	4,810	74	65	B2-U1-G1
OPS-10L-5R-27K8	9,752	70	139	B3-U0-G3
OPS-10L-5R-27K8-EHS	7,301	66	111	B2-U1-G2
OPS-10L-5R-30K8	10,069	70	144	B3-U0-G3
OPS-10L-5R-30K8-EHS	7,632	66	116	B2-U1-G2
OPS-10L-5R-35K8	10,125	70	145	B3-U0-G3
OPS-10L-5R-35K8-EHS	7,964	66	121	B2-U1-G2
OPS-10L-5R-40K8	9,999	70	143	B3-U0-G3
OPS-10L-5R-40K8-EHS	8,296	66	126	B2-U1-G2
OPS-10L-5R-50K8	10,412	70	149	B3-U0-G3
OPS-10L-5R-50K8-EHS	8,296	66	126	B2-U1-G2
OPS-10L-5R-AMB	6,474	74	87	B3-U0-G3
OPS-10L-5R-AMB-EHS	4,848	74	66	B2-U1-G1
OPS-10L-AD-27K8	9,335	70	133	B2-U0-G2
OPS-10L-AD-27K8-EHS	7,261	66	110	B2-U1-G1
OPS-10L-AD-30K8	9,638	70	138	B2-U0-G2
OPS-10L-AD-30K8-EHS	7,591	66	115	B2-U1-G1
OPS-10L-AD-35K8	9,692	70	138	B2-U0-G2
OPS-10L-AD-35K8-EHS	7,921	66	120	B2-U1-G1
OPS-10L-AD-40K8	9,572	70	137	B2-U0-G2
OPS-10L-AD-40K8-EHS	8,251	66	125	B2-U1-G1
OPS-10L-AD-50K8	9,966	70	142	B2-U0-G2
OPS-10L-AD-50K8-EHS	8,251	66	125	B2-U1-G1
OPS-10L-AD-AMB	6,198	74	84	B2-U0-G1
OPS-10L-AD-AMB-EHS	4,822	74	65	B1-U1-G1
OPS-12L-3W-27K8	11,435	85	135	B2-U0-G2
OPS-12L-3W-27K8-EHS	9,184	79	116	B2-U1-G2
OPS-12L-3W-30K8	11,806	85	139	B2-U0-G2
OPS-12L-3W-30K8-EHS	9,601	79	122	B2-U1-G2
OPS-12L-3W-35K8	11,872	85	140	B2-U0-G2
OPS-12L-3W-35K8-EHS	10,018	79	127	B2-U1-G2
OPS-12L-3W-40K8	11,725	85	138	B2-U0-G2





# OPS - Opulence – Area Light

## OPS PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-12L-3W-40K8-EHS	10,434	79	132	B2-U1-G2
OPS-12L-3W-50K8	12,208	85	144	B3-U0-G3
OPS-12L-3W-50K8-EHS	10,434	79	132	B2-U1-G2
OPS-12L-4F-27K8	11,618	85	137	B2-U0-G2
OPS-12L-4F-27K8-EHS	9,462	79	120	B2-U2-G2
OPS-12L-4F-30K8	11,994	85	141	B2-U0-G2
OPS-12L-4F-30K8-EHS	9,891	79	125	B2-U2-G2
OPS-12L-4F-35K8	12,061	85	142	B2-U0-G2
OPS-12L-4F-35K8-EHS	10,321	79	131	B2-U2-G2
OPS-12L-4F-40K8	11,912	85	140	B2-U0-G2
OPS-12L-4F-40K8-EHS	10,750	79	136	B2-U2-G2
OPS-12L-4F-50K8	12,403	85	146	B2-U0-G2
OPS-12L-4F-50K8-EHS	10,750	79	136	B2-U2-G2
OPS-12L-5C-27K8	12,413	85	146	B3-U0-G1
OPS-12L-5C-27K8-EHS	9,503	79	120	B3-U2-G1
OPS-12L-5C-30K8	12,816	85	151	B3-U0-G1
OPS-12L-5C-30K8-EHS	9,935	79	126	B3-U2-G1
OPS-12L-5C-35K8	12,888	85	152	B3-U0-G1
OPS-12L-5C-35K8-EHS	10,366	79	131	B3-U2-G1
OPS-12L-5C-40K8	12,728	85	150	B3-U0-G1
OPS-12L-5C-40K8-EHS	10,798	79	137	B3-U2-G1
OPS-12L-5C-50K8	13,253	85	156	B3-U0-G1
OPS-12L-5C-50K8-EHS	10,798	79	137	B3-U2-G1
OPS-12L-5D-27K8	11,103	100	111	B3-U0-G2
OPS-12L-5D-27K8-EHS	8,260	79	105	B2-U1-G1
OPS-12L-5D-30K8	11,463	100	115	B3-U0-G2
OPS-12L-5D-30K8-EHS	8,635	79	109	B2-U1-G1
OPS-12L-5D-35K8	11,527	100	115	B3-U0-G2
OPS-12L-5D-35K8-EHS	9,010	79	114	B2-U1-G1
OPS-12L-5D-40K8	11,384	100	114	B3-U0-G2
OPS-12L-5D-40K8-EHS	9,385	79	119	B2-U1-G1
OPS-12L-5D-50K8	11,853	100	119	B3-U0-G2
OPS-12L-5D-50K8-EHS	9,385	79	119	B2-U1-G1
OPS-12L-5Q-27K8	11,934	85	140	B3-U0-G2
OPS-12L-5Q-27K8-EHS	8,652	79	110	B2-U1-G2
OPS-12L-5Q-30K8	12,321	85	145	B3-U0-G2
OPS-12L-5Q-30K8-EHS	9,045	79	114	B2-U1-G2
OPS-12L-5Q-35K8	12,390	85	146	B3-U0-G2
OPS-12L-5Q-35K8-EHS	9,438	79	119	B2-U1-G2
OPS-12L-5Q-40K8	12,237	85	144	B3-U0-G2
OPS-12L-5Q-40K8-EHS	9,831	79	124	B2-U1-G2
OPS-12L-5Q-50K8	12,741	85	150	B3-U0-G2
OPS-12L-5Q-50K8-EHS	9,831	79	124	B2-U1-G2
OPS-12L-5R-27K8	11,675	85	137	B3-U0-G3
OPS-12L-5R-27K8-EHS	8,720	79	110	B2-U1-G2
OPS-12L-5R-30K8	12,054	85	142	B3-U0-G3
OPS-12L-5R-30K8-EHS	9,116	79	115	B2-U1-G2
OPS-12L-5R-35K8	12,121	85	143	B3-U0-G3
OPS-12L-5R-35K8-EHS	9,513	79	120	B2-U1-G2
OPS-12L-5R-40K8	11,971	85	141	B3-U0-G3
OPS-12L-5R-40K8-EHS	9,909	79	125	B2-U1-G2
OPS-12L-5R-50K8	12,465	85	147	B3-U0-G3
OPS-12L-5R-50K8-EHS	9,909	79	125	B2-U1-G2
OPS-12L-AD-27K8	11,177	100	112	B3-U0-G2



# OPS - Opulence – Area Light

## OPS PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-12L-AD-27K8-EHS	8,676	79	110	B2-U1-G1
OPS-12L-AD-30K8	11,539	100	115	B3-U0-G2
OPS-12L-AD-30K8-EHS	9,070	79	115	B2-U1-G1
OPS-12L-AD-35K8	11,603	100	116	B3-U0-G2
OPS-12L-AD-35K8-EHS	9,464	79	120	B2-U1-G2
OPS-12L-AD-40K8	11,460	100	115	B3-U0-G2
OPS-12L-AD-40K8-EHS	9,858	79	125	B2-U1-G2
OPS-12L-AD-50K8	11,932	100	119	B3-U0-G2
OPS-12L-AD-50K8-EHS	9,858	79	125	B2-U1-G2
OPS-14L-3W-27K8	13,221	100	132	B3-U0-G3
OPS-14L-3W-27K8-EHS	10,677	103	104	B2-U1-G2
OPS-14L-3W-30K8	13,650	100	136	B3-U0-G3
OPS-14L-3W-30K8-EHS	11,162	103	108	B2-U1-G2
OPS-14L-3W-35K8	13,726	100	137	B3-U0-G3
OPS-14L-3W-35K8-EHS	11,647	103	113	B2-U1-G2
OPS-14L-3W-40K8	13,556	100	136	B3-U0-G3
OPS-14L-3W-40K8-EHS	12,132	103	118	B2-U1-G2
OPS-14L-3W-50K8	14,115	100	141	B3-U0-G3
OPS-14L-3W-50K8-EHS	12,132	103	118	B2-U1-G2
OPS-14L-4F-27K8	13,431	100	134	B2-U0-G2
OPS-14L-4F-27K8-EHS	11,001	103	107	B2-U2-G2
OPS-14L-4F-30K8	13,867	100	139	B2-U0-G2
OPS-14L-4F-30K8-EHS	11,500	103	112	B2-U2-G2
OPS-14L-4F-35K8	13,944	100	139	B2-U0-G2
OPS-14L-4F-35K8-EHS	11,999	103	116	B2-U2-G2
OPS-14L-4F-40K8	13,772	100	138	B2-U0-G2
OPS-14L-4F-40K8-EHS	12,499	103	121	B2-U2-G2
OPS-14L-4F-50K8	14,339	100	143	B3-U0-G2
OPS-14L-4F-50K8-EHS	12,499	103	121	B2-U2-G2
OPS-14L-5C-27K8	14,351	100	144	B3-U0-G1
OPS-14L-5C-27K8-EHS	11,049	103	107	B3-U2-G1
OPS-14L-5C-30K8	14,817	100	148	B3-U0-G1
OPS-14L-5C-30K8-EHS	11,550	103	112	B3-U2-G1
OPS-14L-5C-35K8	14,899	100	149	B3-U0-G1
OPS-14L-5C-35K8-EHS	12,052	103	117	B3-U2-G1
OPS-14L-5C-40K8	14,715	100	147	B3-U0-G1
OPS-14L-5C-40K8-EHS	12,554	103	122	B3-U2-G1
OPS-14L-5C-50K8	15,322	100	153	B3-U0-G1
OPS-14L-5C-50K8-EHS	12,554	103	122	B3-U2-G1
OPS-14L-5D-27K8	12,836	100	128	B3-U0-G2
OPS-14L-5D-27K8-EHS	9,603	103	93	B2-U1-G1
OPS-14L-5D-30K8	13,253	100	133	B3-U0-G2
OPS-14L-5D-30K8-EHS	10,039	103	97	B3-U1-G2
OPS-14L-5D-35K8	13,326	100	133	B3-U0-G2
OPS-14L-5D-35K8-EHS	10,475	103	102	B3-U1-G2
OPS-14L-5D-40K8	13,161	100	132	B3-U0-G2
OPS-14L-5D-40K8-EHS	10,912	103	106	B3-U1-G2
OPS-14L-5D-50K8	13,704	100	137	B3-U0-G2
OPS-14L-5D-50K8-EHS	10,912	103	106	B3-U1-G2
OPS-14L-5Q-27K8	13,798	100	138	B3-U0-G2
OPS-14L-5Q-27K8-EHS	10,060	103	98	B2-U1-G2
OPS-14L-5Q-30K8	14,246	100	142	B3-U0-G2
OPS-14L-5Q-30K8-EHS	10,517	103	102	B3-U1-G2
OPS-14L-5Q-35K8	14,325	100	143	B3-U0-G2
OPS-14L-5Q-35K8-EHS	10,973	103	107	B3-U1-G2



# OPS - Opulence – Area Light

## OPS PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-14L-5Q-40K8	14,148	100	141	B3-U0-G2
OPS-14L-5Q-40K8-EHS	11,430	103	111	B3-U1-G2
OPS-14L-5Q-50K8	14,731	100	147	B3-U0-G2
OPS-14L-5Q-50K8-EHS	11,430	103	111	B3-U1-G2
OPS-14L-5R-27K8.ies	13,498	100	135	B3-U0-G3
OPS-14L-5R-27K8-EHS	10,139	103	98	B2-U1-G2
OPS-14L-5R-30K8.ies	13,936	100	139	B3-U0-G3
OPS-14L-5R-30K8-EHS	10,600	103	103	B3-U1-G2
OPS-14L-5R-35K8.ies	14,014	100	140	B3-U0-G3
OPS-14L-5R-35K8-EHS	11,061	103	107	B3-U1-G2
OPS-14L-5R-40K8.ies	13,841	100	138	B3-U0-G3
OPS-14L-5R-40K8-EHS	11,522	103	112	B3-U1-G2
OPS-14L-5R-50K8.ies	14,411	100	144	B3-U0-G3
OPS-14L-5R-50K8-EHS	11,522	103	112	B3-U1-G2
OPS-14L-AD-27K8	12,921	100	129	B3-U0-G2
OPS-14L-AD-27K8-EHS	10,087	103	98	B3-U1-G2
OPS-14L-AD-30K8	13,341	100	133	B3-U0-G2
OPS-14L-AD-30K8-EHS	10,545	103	102	B3-U1-G2
OPS-14L-AD-35K8	13,415	100	134	B3-U0-G2
OPS-14L-AD-35K8-EHS	11,003	103	107	B3-U1-G2
OPS-14L-AD-40K8	13,249	100	132	B3-U0-G2
OPS-14L-AD-40K8-EHS	11,461	103	111	B3-U1-G2
OPS-14L-AD-50K8	13,795	100	138	B3-U0-G3
OPS-14L-AD-50K8-EHS	11,461	103	111	B3-U1-G2